

## DISCONTINUED PRODUCT



### GRAPHIC MATT PAPER (120gsm) – OV3MP5

OMNIJET Graphic Matt Paper is a quality, cost effective, coated matt paper, developed for CAD/GIS printing. It is also a good economical choice for everyday line and test printing for prints that do not require the heavy ink loads of photographic prints (more information).

#### Features

- Quick drying
- High dot and line sharpness
- Smear resistant
- Dye and pigment ink compatible

#### Applications

- CAD
- GIS
- Low Cost Graphics

| Technical Specification | Rolls              |
|-------------------------|--------------------|
| Weight                  | 120gsm             |
| Caliper                 | 150 microns (6mil) |
| Brightness              | >95%               |

DISCONTINUED PRODUCT



#### OMNIJET INKJET MEDIA NOTES

**Instant Dry Porous coated media types:**

Although instant dry porous coated media is touch-dry straight out of the printer, it is recommended that prints are left to dry fully before laminating. As with other inkjet papers, it is recommended that media is left for 24 hours for consistent results.

**Polymer (swellable) media types:**

As with other aqueous inkjet papers, 24 hours drying time should be allowed for consistent results and before lamination to allow the print to fully dry.

**Matt Coated Papers:**

To ensure best results with matt coated media types ensure that ink loads are kept as low as possible to reduce the possibility of cockling. This is especially important with the lighter matt coated grades.

## Graphic Matt Paper

### OV3MP5 (120gsm)

ILFORD OMNIJET Graphic Matt Paper is a quality, cost effective, coated matt paper, developed for CAD/GIS printing. It is also a good economical choice for everyday line and test printing for prints that do not require the heavy ink loads of photographic prints.

#### FEATURES

- Quick Drying
- Dye and pigment ink compatible
- High dot and line sharpness
- Smear resistant

#### APPLICATIONS

- CAD
- GIS
- Proofing

#### PRINTER & INK COMPATIBILITY

OMNIJET Graphic Matt Paper is designed for use with most wide format inkjet printer systems using aqueous dye or pigment based inks from major manufacturers.

**IMPORTANT** Printer and driver settings may need careful setup to ensure optimum performance. Ink loads need to be set appropriately for the ink/printer combination in use.

#### AVAILABILITY

Finished rolls Most standard widths from 17" (43.18cm) to 60" (152.4cm)

#### PHYSICAL PROPERTIES (TARGET VALUES)

Weight 120gsm

Caliper 150micron (6mil)

Brightness >95%

#### ENVIRONMENTAL CONDITIONS

Operating 15–25°C (59–77°F), 30–70% RH non-condensing

**Note:** Specifications subject to change without notice.  
All other trademarks are the property of their respective companies.